

# AN RAK (안락)


'AN RAK' means very comfortable  
in Korean.



# AN RAK



Inspiration Images



Sketches Development

# AN RAK

**AN RAK** is designed with a strong look of layers as a concept that was inspired from stack of stones yet, it's very simple and elegant. The white and black double sewn seam with contrastion molding is covered with leather that adds the luxurious and clean details. One side have two cushion which have the great comfort and the other side of cushion is designed with wood that can be a mini table. Asymmetry of arm cushions are not only beautiful but it's very practical and functional. From the wood base to the arm cushions are well layered that marks the final beauty overall. Also the sofa height is adjustable by a foot so it is well functioned.



*Disjoint*


# AN RAK

## Dimensions

<b>Overall</b>	<b>W:76"</b>	<b>D:38"</b>	<b>H:35"</b>
<b>Back cushion</b>	<b>W:72"</b>	<b>D:12"</b>	<b>H:18"</b>
<b>Seat cushion</b>	<b>W:72"</b>	<b>D:26"</b>	<b>H:15"</b>
<b>Seat ped</b>	<b>W:70"</b>	<b>D:24"</b>	<b>H:15"</b>
<b>Arm cushion</b>	<b>W:11"</b>	<b>D:18"</b>	<b>H:8"</b>
<b>Seat to floor</b>			<b>H:17"</b>
<b>Wood base</b>			<b>H:2"</b>
<b>Back wood frame</b>			<b>H:16"</b>



# AN RAK



Section

# AN RAK

Metal pipe for  
connecting back  
and seat cushion

Threaded metal tube

Foot for leveling

*Detail*









# AN RAK



White leather



Black leather



Ash wood

This marvelous art deco look can use with ease for upholstered furniture, and for walls. It is very glamorous they way they duplicated the look of the parchment on the cow.

### **Leather specification**

Manufacturer : EDELMAN  
Contents : European full grain vegetable-tanned aniline-dyed cowhide  
Finish : hand finished  
Style : Parchment cowhide  
Thickness : 1.2-1.3mm (3.25 oz)

### **Flammability**

Boston fire code (BFD 1X-1)	<b>PASS</b>
California Technical Bulletin 117	<b>CLASS 1</b>
Cigarette Ignition resistance ( NFPA260)	<b>CLASS 1</b>
Ignitability of upholstered seating by smouldering&Flaming sources (BS5852)	<b>PASS</b>
IMO resolution A.652(16)	<b>PASS</b>
Surface building characteristics of building material (ASTM E84)	<b>CLASS B</b>

### **Performance characteristics**

Abrasion - ASTM D 3884	<b>PASS</b>
Breaking force - ASTM 2208	<b>292</b>
Crocking - ASTM D 5053	<b>CLASS 5</b>
Elongation - ASTM D 2211	<b>15.9</b>
Flex - W-Flex	<b>PASS</b>
Light fastness - 72 Hrs/93°C	<b>CLASS 4-5</b>
Tearing strength - ASTM D	<b>38</b>
Wyzenbeek - ASTMD 4157	<b>CLASS 3.5</b>

### **Budget**

Retail / list	\$9600
Whole sale / net	\$4800